




# CLASSIC - ST MAX™ II

Start-up range of Electric Airless Paint Sprayers  
for Professional Painting Contractors



www.graco.com

## PROFESSIONAL ADVANTAGES

- Graco 'big' technologies in a 'mini' size
- Ideal for renovation or new construction family house painting
- Sprays perfectly most interior paints

Painter - Fine Finish & Professional Airless Applications

ST MAX™ II 595 - ST MAX™ II 495 - ST MAX™ II 395 - 390 CLASSIC



# CLASSIC - ST MAX™ II

Best Value in Small Electric Sprayers

Introducing the **390 CLASSIC**, Graco extends its electric entry-level sprayer line with a solid work-horse built for professionals just “starting out”. The 390 is the ideal sprayer for residential jobs, made available for you in a compact stand version and the more featured cart version, offering direct suction, a kick back, hose wrap and toolbox as a premium.

## ST MAX™ II

More performance and extra features, ideal for renovation or small residential construction.

The **ST MAX 395**'s reliability and performance have made it Graco's most popular small electric sprayer. SmartControl™ 1.0 provides a consistent spray fan without pressure fluctuation at all spraying pressures. Proven Endurance™ pump technology makes it perfect for professionals who frequently spray a wide range of coatings.

The **ST MAX II 495/595** brings the leading technology and performance of Graco's larger Ultra® Max II models into these compact and lightweight sprayers.

The ST MAX II 495/595 sprayers are the best choice for professionals looking for superior performance, control and extra comfort for daily use on residential jobs.



### Comfortable Carrying

Offset handle with rubber comfort grip balances sprayer away from leg

### Swivel Inlet Suction Hose

- Easily swivels to reach paint buckets or cans
- No-tools removal of hose for cleaning or accessing inlet ball



## CLASSIC

### Chrome Plated, Welded Steel Carts

- Thick chrome over steel to withstand rugged environments
- Retractable handle doubles as a hose wrap for simple removal of coiled hose (Hi-Boy)
- Semi-pneumatic wheels roll easily over rough terrain



390 CLASSIC

390 CLASSIC Hi-Boy



ST Max 395

ST Max II 495

ST Max II 495 Hi-Boy

ST Max II 595 Hi-Boy

## Your Perfect 'Buddy' for Renovation Jobs

### ST Max II Advanced Features

The combination of reliable performance and compact design makes the CLASSIC - ST Max range the ideal product for interior painting of family houses or small residential jobs. You can easily spray almost all interior acrylic paints, emulsions, laquers, varnishes and enamels on walls, wood and metal surfaces.

The ST Max II 595 outperforms all other models and can also be used for occasional facade painting.



Watch our application video at: <http://15.graco.eu.com>



## ST Max II

### ST Max II Advanced Feature

Graco's MaxPower Brushless DC Motors are totally-enclosed, protecting internal components from dirt, dust and overspray – extending the life of the motor.

The brushless design means that you will never need to replace brushes! No wonder Graco stands behind these motors with 5 year warranty!



## GOOD TO KNOW

### CONFIGURE YOUR SPRAYER TO A DEDICATED UNIT



#### FOR SPRAYING ENAMELS

Convert your unit to a dedicated airless enamel sprayer adding a 5 liter hopper and a shorter 7.5 m x 3/16" hose and a FFA tip. This compact configuration offers extreme gun and hose handling flexibility and limits material inside the unit to a minimum. The FFA tips have a double orifice, offering pre-atomization of the paint in the tip, resulting in extreme fine finishing.

#### FOR PAINTING WALLS - OVERSPRAY FREE

Replace your gun by an inside fed roller with Inline™ gun. Now you can use your unit for every inside paint job. Rolling will be up to 20% more effective as you no longer need to dip your roller into the paint, spraying will be twice as effective.

*Look at it this way: Use your roller to write off the investment of the unit, where the extra money you make, each time you can spray, will be an extra holiday pay or Christmas bonus.*



## ! TIP

Apart from being more maintenance friendly, brushless DC motors are also much lighter than AC (brush) motors delivering the same horse power rating.



#### Easy-Out™ Pump Filter

- Filter removes simply with the cap for less mess
- Easy Out filters from the inside out – reducing tip clogs



#### Comfortable Inlet Suction

- Allowing suction of unthinned paint out of up to 30 liter buckets
- TiltBack™ Cart makes bucket changes fast and easy

#### Consistent Pressure Control

- Deliver quality spray pattern with minimal fluctuation (SmartControl™ - ST Max)
- Simple mechanical design for years of reliable use (390 CLASSIC models)

[www.graco.com](http://www.graco.com)



## SmartControl™ 2.0

Graco's advanced SmartControl delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Our ST Max range offers the benefit of a digital display with pressure readout, job/lifetime gallon counter, and self-diagnostics.

<b>Digital display</b>	Easy read even in the sun.
<b>Several menus</b>	Provides: Actual working pressure - Liter counter - Error codes (self-diagnosis system)
<b>Smart pressure control</b>	1 second learning time instantaneous response time. Adjusts itself to maintain even pressure even as tip wears. Delivering constant finish.





# CLASSIC - ST MAX™ - ST MAX™ II Accessories

Get the most out of your equipment, using our professional accessories

## Improve your spraying quality



### Guns

- 288438 FTX-E™ gun with RAC X 517 tip, RAC X guard and 2 filters
- 262116 FTX-E gun with RAC X, 60 mesh filter, no tip

### Easy-Out™ Gun Filters

- 287032 Easy-Out gun filter, 60 mesh x 1
- 287033 Easy-Out gun filter, 100 mesh x 1
- 287034 Kit: 60 mesh x 1 + 100 mesh x 1

### Easy-Out™ Pump Filters

#### CLASSIC (long)

- 244071 30 mesh, grey
- 244067 60 mesh, black (= standard)
- 244068 100 mesh, blue
- 244069 200 mesh, red

#### ST Max (short)

- 246425 30 mesh, grey
- 246384 60 mesh, black (= standard)
- 246382 100 mesh, blue
- 246383 200 mesh, red

### BlueMax™ II Hoses

- 214698 3/16" x 7.5 m
- 240794 1/4" x 15 m
- 241272 1/4" x 20 m
- 223771 1/4" x 30 m

### Hose Connectors

- 156971 1/4" x 1/4"
- 157350 1/4" x 3/8"

### Whips (230 bar)

- 238358 3/16" x 0.9 m
- 238959 3/16" x 1.4 m
- 238359 3/16" x 1.8 m



### Hopper

- 288526 Hopper ST Max™

### ST Max™ Kit

- 288499 FTX-E gun, 1/4" x 15m hose, RAC 5 guard, RAC 5 (517) tip 262517

### RAC X Tip Extensions

- 287019 25 cm
- 287020 40 cm
- 287021 50 cm
- 287022 75 cm

### CleanShot™ RAC X Pole Gun

- 287026 90 cm
- 287027 180 cm

### Rollers Exterior (complete)

- 6880095 30 cm fixed
- 098084 90-180 cm telescopic
- 098085 45-90 cm telescopic

### Roller Kit

- 245397 Fixed interior roller 50 cm - EvenFlow™ head  
23 cm - Cover 12 mm - InLine™ gun

### Tips & Guards

- FFAXXX Green RAC X fine finish tip
- PAAXXX Blue RAC X professional airless tip
- WA12XX RAC X WideRac, for big surfaces
- 246215 RAC X guard

### Liquids

- 206994 TSL™ 0.25 l
- 253574 Pump Armor™ 1 l

Looking for more detailed info? See our Airless Accessories brochure 300672

## Specifications

**ALL UNITS SHIP WITH** FTX-E gun kit (288499)  
= 288438 FTX-E gun + 240794 BlueMax II hose 1/4" x 15 m  
+ RAC X (PAA517) tip and guard

**Part Numbers:** for EURO version (220 V)  
for Multicord version (220 V)  
for UK (110 V)

	CLASSIC 390 Stand	CLASSIC 390 Hi-Boy	ST Max 395 Stand	ST Max II 495 Stand	ST Max II 495 Hi-Boy	ST Max II 595 Hi-Boy
Max. Working Pressure - bar (PSI)	230 (3300)	230 (3300)	230 (3300)	230 (3300)	230 (3300)	230 (3300)
Max. Fluid Flow - l/min. (gpm)	1.8 (0.47)	1.8 (0.47)	1.9 (0.5)	2.3 (0.60)	2.3 (0.60)	2.6 (0.68)
Max. Tip Size - 1 gun	0.021"	0.021"	0.023"	0.025"	0.025"	0.027"
Weight - kg (lbs)	17 (37.5)	30 (66)	19 (42)	15.5 (34)	29 (64)	33 (72)
Motor Rating - kW (HP)	0.46 (0.625)	0.46 (0.625)	0.65 (0.875)	0.89 (1.2)	0.89 (1.2)	1.05 (1.4)

### Features:

SmartControl	Hydraulic gauge	Hydraulic gauge	1.0	2.0	2.0	2.0
Endurance™ Pump	✓	✓	✓	✓	✓	✓
TiltBack	-	✓	-	-	-	-
Toolbox	-	✓	-	-	✓	✓
Motor Type	DC/Brush	DC/Brush	DC/Brush	DC/Brushless	DC/Brushless	DC/Brushless

GRACO BVBA • Fluid Handling Solutions  
Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen  
Tel. (32) 89 770 700 • Fax (32) 89 770 777  
www.graco.com

© 2013 Graco BVBA • Form No. 320580ENEU (rev.F) • 11/13 • Printed in Europe.  
Graco is certified ISO 9001.

All information, illustrations, and specifications in this document are based on the latest product information available at the time of publication. The right is reserved to make changes at any time without notice.